EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	14	L7 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:19
L9	725	IP near4 address near7 (leasing or lease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:19
L8	0	L7 and session near5 parameter near6 reus$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:19
L7	657	L6 and stor$3 near5 IP near4 (address or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:18
L6	4301	L5 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:18
L5	7759	L4 and predetermined near4 period	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:17
L4	85674	(L1 or L2 or L3) and retain $3 near4 temporary IP near4 (address or parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:16

L3	4816	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:16
L2	4132	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:15
L1	2463	709/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:15
S62	2	"20050066040"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 16:51
S61	52	again near4 IP near4 (address or parameter) same (period or interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 16:44
S60	18	reus$3 near4 IP near4 (address or parameter) same (period or interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 16:29
S59	2	S58 same interrupt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 11:03
S58	272	reus$5 near6 IP near6 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 11:03

S57	2	releas$3 near6 temporary near6 address with period	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 11:01
S56	2	S54 and address near4 pool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:58
S55	1	S54 and DHCP near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:55
S54	176	S53 and (@AD < "20030703" or @PRAD < "20030703")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:55
S53	194	hold$3 near6 temporary near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:55
S52	77	S49 and (@AD < "20030703" or @PRAD < "20030703")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:48
S51	9	S50 and (@AD < "20030703" or @PRAD < "20030703")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:48
S50	16	session near5 parameter near6 reus$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:48

S49	152	reserv$3 near6 address same DHCP near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:47
S48	2	S47 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:22
S47	50	retain$3 near6 Internet near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:22
S46	0	retain$3 near6 temporary near3 Internet near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:22
S45	0	reserv$3 near6 temporary near3 Internet near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:17
S44	0	sustain$3 near6 temporary near3 Internet near4 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:17
S43	0	sustain$3 near6 temporary near3 IP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:17
S42	0	uphold$3 near6 temporary near3 IP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:16

S41	0	uphold$3 near6 temporary near3 IP near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:16
S40	0	sustain$3 near6 temporary near3 IP near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 10:16
S39	0	hold$3 near6 temporary near3 IP near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:41
S38	0	reserv$3 near6 temporary near3 IP near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:41
S37	1	preserv$3 near6 temporary near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:34
S36	0	preserv$3 near6 temporary near3 IP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:33
S35	0	preserv$3 near6 temporary near3 IP near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 16:33
S34	3	IP near3 session same PPP near4 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:47

S33	1	IP near3 session near6 parameter same PPP near4 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:47
S32	465	parameter near8 domain near4 name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 17:33
S31	11	S30 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 17:33
S9	47	S8 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 17:20
S30	21	session near4 compression near6 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 17:11
S29	1	previous near4 session near4 parameter with retriev$3 same establish $3 near7 session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:15
S28	0	previous near4 session near4 parameter with reus $4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:55
S26	22	previous near4 parameter same establish$ near6 session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:54

S27	17	S26 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:50
S24	4	S22 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:50
S25	0	("2005/0066040").URPN.	USPAT	OR	ON	2007/08/13 15:35
S23	28	S21 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:57
S22	9	(memory or storage) near6 retriev$3 near7 session near5 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:56
S21	44	(memory or storage) near6 (storing or store) near7 session near5 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 14:56
S20	3	temporary near6 address near6 reus$5 same (connection or communication or session) near4 (end$3 or disconnect$3 or terminat$3 or interrupt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:42
S6	2	temporary near6 IP near6 address with reus$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 12:32
S19	19	S18 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:58

S18	26	S17 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:58
S17	33	S16 and reus$5 near6 IP near6 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:56
S16	576	IP near4 address near7 (leasing or lease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:56
S14	69	S13 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:56
S13	93	S12 and reus$5 near6 IP near6 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:56
S12	3764	IP near4 address near7 leas$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:55
S15	49	S14 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:48
S11	9	S10 and (@AD < "20030918" or @PRAD < "20030918")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:27

S10	13	session near5 parameter near6 reus$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:27
S3	0	temporary near4 session near5 parameter near6 reus$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 14:27
S8	83	temporar$5 near6 address same session near6 establish$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 13:33
S7	3	temporary near4 session near5 parameter and resu $5 near6 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 12:35
S4	4	temporary near4 session near5 parameter and Internet near6 session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:50
S5	143	retriev$3 near10 parameter near4 session	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:46
S2	11	((Internet near4 protocol) or IP) near3 temporary near5 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:35
S1	18	((Internet near4 protocol) or IP) near3 session and temporary near5 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:33

9/17/08 10:29:55 AM
C:\ Documents and Settings\ KLin1\ My Documents\ EAST\ Workspaces\ 10664673.wsp